

Chick Pick Ge[⚡]

Proven formulation for multistress management – chicks and birds

Summer stress in poultry can significantly impact their health & productivity. High temperatures can lead to heat stress, which affects feeding, growth, egg production, and overall well-being. Here are some key factors & management strategies:

- | Maintains electrolyte balance for hydration
- | **Reduces transport and early mortality**
- | Boosts water retention, prevents dehydration



| Lowers heat stress-related mortality

Supports growth and egg production

| Benefits of using Chick pick gel

1. It helps to maintain electrolyte balance, which is crucial for hydration and overall cellular function.
2. It promotes better water retention in birds, helping to mitigate dehydration during high temperatures.
3. It enhances feed and water intake by making feed more palatable, which is essential for energy and nutrient supply.
4. It improves thermoregulation, allowing birds to cope better with heat stress.
5. It supports overall health and hydration, Chick pick gel can help lower the risk of heat stress-related mortality in poultry.
6. It maintains better growth rates and egg production, contributing to overall productivity.
7. Reducing heat stress can lead to calmer, more active birds, which is beneficial for management and welfare.
8. Reduce mortality during transportation and reduce first week mortality

| Impact of summer stress in poultry

Heat Effects: Panting, high heart rate, poor circulation.

Less Feed: Reduced growth and egg output.

Health Risks: Weak immunity, dehydration.

Behavioral Changes: Lethargy, aggression.

Economic Loss: Lower profits, higher care costs.

| Composition:

Sodium Salts, Potassium Salts, Vitamin C coated, Vitamin E coated, Phosphorous, Chloride as NaCl, Glucose & Approved Reddish color

| Preparation

500 grams Chick pick gel can be added with 10 Litres of plain water and stir gently. Leave it for 3 to 5 mins, Now your Chick pick gel is ready to serve.

| Application :

Day old Chick : 1 to 2 grams per cage (Considering a cage occupied with 15 day old chicks

Birds : 3 to 4 gram per cage (Considering a cage occupied with 4 to 5 adult birds

Note : Chick pick gel can be served 2 to 3 consecutive days for better result.

Manufactured & Marketed by :



No. 1/258/3, Begapalli Vilage, Begapalli – Biderguppa Road, Hosur – 635126,
Krishnagiri Distict, Tamilnadu, India.

Mobile : + 91 9790155126

E mail : gosanutribiotech@gmail.com

Website : www.gosanutribiotech.com